

# EduTouch 75” EC Product Specification



## Product Features:

Simple and clear appearance; front physical keys; front USB ports automatically switches with the channel; modulation safety design

★ IR (Infrared Ray) touch technology

① Resistant to optical interference (use as usual under direct sunlight)

② Resistant to shielding

③ Rapid response, fluent in writing & demonstration

★ Passes EMC test (meets the requirements of the applicable RCM and CE directives)

★ Integrated display, touch-control, dual core processor

① Smart operating system


② Touch menu (use touch menu to make a universal setting in any input source)

③ Achieve the functions of making notes, playing courseware and video without PC

★ One key to energy saving mode (energy saving and environmental protection)

★ AG tempered glass 4mm Mohs level 7

## Dimensions:



## Product Specifications:

### Display

Size	75inch
Aspect Ratio	16:9
Display Area	1649.664(H)*927.936(V)mm
Resolution	3840(H)*2160(V)
Pixel Pitch	0.429*0.429mm
Back Light Unit	Direct type LED
Response Time	8ms
Refreshing Frequency	60Hz
Display Color	1.07B(10bit)
Contrast Ratio (Typ)	1200:1
Viewing Angle	178° (H/V)
Brightness with glass (Typ)	350 cd/m <sup>2</sup>
Brightness with glass (min)	300 cd/m <sup>2</sup>
Life Time	30000 Hours

### Video/Audio

Speaker Type	Built-in Speaker
--------------	------------------

Output Power	2*12W
--------------	-------

## Display Connectors

HDMI IN	2
HDMI Output	1
VGA IN	1
PC- Audio IN	1
Coaxial Output	1
Earphone Output	1
USB 2.0	4 (including 2 USB ports in front)
USB 3.0	2
USB Touch Output	1
AV IN	1
RS232	1
LAN(RJ45)	1

## Touch System

Sensing Type	Infrared recognition
System	Windows10 / Windows7 / Linux / Mac / Android
Touch point	10 points writing and 20 points touch
Minimum object size	2mm
Touch Tool	Finger, Finger cover by glove, Opaque objects
Response Time	<15ms
Accuracy	±1mm (over 90% Area)
Communication Mode	Full-speed USB2.0
Interface	USB
Touch Drive	Free drive
Surface Hardness	Toughened Glass with Level 7 of Mohs Standard
Interpolation Resolution	32767(W)*32767(D)

## Android System

System Version	Android 7.0
----------------	-------------

CPU	ARM Cortex A73 Dual Core CPU
GPU	Mali 450*5
RAM	2G
ROM	16G

### Power

Power Requirements	100-240V~50/60Hz
Overall Power	100-240V~50/60Hz 4.5A
Standby Power	≤0.5W

### PC Module



Type	Detachable PC module	
Model	MT21	
CPU	Intel® Core™ <b>i5</b> / <i>i7 optional</i>	
RAM	DDR4 <b>8G</b> / <i>16G optional</i>	
Optional Hard Disk	HDD	<i>500G/1T optional</i>
	M.2 SSD	<b>256G</b> / <i>512G optional</i>
Graphics	Integrated Intel® HD Graphics	
Chipset	Intel H110 Express	
Sound Card	Integrated High Definition Audio Stereo	
Networking	10/100/1000M	
WIFI	802.11ac (2.4GHz/5GHz)	
Bluetooth	Bluetooth4.2	
Operation System	Windows 7 and above	
USB3.0	6	
LAN(RJ45)	1	

VGA Output	1
Earphone Output	1
Microphone Input	1

### Physical Specifications

Key Location & Number	Front physical key, 1
Dimension L*H*D	1763*1034*100mm
Dimension(package) L*W*H	1913*1225*280mm
Net Weight	58.6kg
Gross Weight	78kg
Thickness of machine and wall mount	146mm (WIB9060F)
Wall-hanging Screw Spec	M8*25mm
VESA	800*400mm

### Optional Accessories

Australian Standard Power Cord	3 meters
USB Cable	5 meters
VGA Cable	5 meters
Audio Cable	5 meters
Writing Pen	3
Remote Control	1
Battery	1
Operation Instructions	1

### Environmental Conditions

Operation Temperature	0°C- 40°C
Operation Humidity	10% - 90%RH
Storage Temperature	-20°C-60°C
Storage Humidity	10% - 90%RH
Altitude	Below 5000 meters