


# Product Specification

## Product Feature



- ✧ Front USB port
- ✧ Front physical key
- ✧ Bottom loudspeaker
- ✧ 4K ultra HD display
- ✧ IR (Infrared Ray) touch technology
- ✧ AG tempered glass 4mm Mohs level 7
- ✧ Compatible with detachable PC module

## Dimension



## Display

Size	75 inch
Panel Type	IPS
Response Time	8ms
Aspect Ratio	16:9
Display Area	1649.664(H)*927.936(V)mm
Resolution	3840(H)*2160(V)
Pixel Pitch	0.4296*0.4296mm
Refreshing Frequency	60Hz
Display Color	1.07B(10bit)
Contrast Ratio	1100:1
Viewing Angle	178°
Back Light Unit	DLED
Brightness with glass (typ)	350 cd/m <sup>2</sup>
Brightness with glass (min)	300 cd/m <sup>2</sup>
Life Time	30000 Hours

## Video/Audio

Sound Channel	2.0
Output Power	2*12W

## Display Connectors

HDMI IN	3
HDMI OUT	1
USB 2.0	3(including 2 USB ports in front)
USB 3.0	3
TOUCH OUT	2
VGA IN	1
AUDIO IN	1
AUDIO OUT	1
SPDIF	1
LAN(RJ45)	1
RS232	1

### Touch System

Sensing Type	Infrared recognition
System	Windows10/Windows8/Windows7/Windows XP /Linux/Mac/Android/Chrome
Touch point	20 points touch
Touch Tool	Finger,Passive infrared pen
Minimum object size	3mm
Response Time	≤10ms
Accuracy	±1.5mm
Writing Height	<3mm
Writing double colors with double pens simultaneously	support
Touch Drive	Free drive
Surface Hardness	Toughened Glass with Level 7 of Mohs Standard
Interpolation Resolution	32768(W)*32768(D)

### Android System

System Version	Android 8.0
CPU	Dual core A73+Dual core A53
GPU	Quad core Mali G51
RAM	3GB

ROM	16GB
-----	------

## Power

Power Requirements	100-240V~50/60Hz
Overall Power	350W
Standby Power	≤0.5W

## Physical Specifications

Key Location & Number	Front physical key, 1
Dimension L*H*D	1710*1020*86mm
Dimension(package) L*W*H	1860*280*1170mm
Thickness of machine and wall mount	132mm (WIB9060F)
Wall-hanging Screw Spec	M8*25mm
VESA	800*400mm
Net Weight	51.75kg
Gross Weight	70.35kg

## Environmental Conditions

Operation Temperature	0°C- 40°C
Operation Humidity	10% - 90%RH
Storage Temperature	-20°C - 60°C
Storage Humidity	10% - 90%RH
Altitude	Below 5000 meters

## Accessories

Power Cord(European/American/British standard optional)	×1 (3 meters)
USB Touch Cable (Type A-B)	×1 (5 meters)
HDMI Cable	×1 (3 meters)
Writing Pen	×2 (SW08)
Remote Control	×1
Battery	×2 (AAA)

## Random File

Quick Start Guide

×1

**Compatible with PC module (optional)**

Model

MT21

**HDMI**<sup>™</sup>  
HIGH-DEFINITION MULTIMEDIA INTERFACE

NOTICE : The terms HDMI and HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing LLC in the United States and other countries.